CERTIFICATE OF ANALYSIS

FERMETECH OÜ | Suur-jõe 71, 80042 Pärnu, Estonia | Reg. No. 11646366 Tel: +372 545 02075 | Email: info@fermetech.eu | www.fermetech.eu

MONOSODIUM GLUTAMATE 80 MESH (E621)

Batch No.: M24120802-36/20243087 / **Invoice No.**: MCZ24M094 **Quantity:** 88000 KGS / 3520 BAGS / **Production Date:** 15.12.2024

Expiry Date: 14.12.2027 / Origin: China

Test Item	Specification	Result	Status
Sodium Glutamine %	≥99.0	99.6	\checkmark
Particle Size	-	80 MESH	\checkmark
Loss on Drying %	≤1.0	0.1	\checkmark
pH (1% solution)	6.7-7.5	7.0	\checkmark
Sulfate %	≤0.05	<0.05	\checkmark
TPC	≤1000 cfu/g	≤1000 cfu/g	\checkmark
Yeast & Mould	≤100 cfu/g	≤100 cfu/g	\checkmark
Coliform	Negative	Negative	\checkmark
E. Coli	Negative	Negative	\checkmark
Test for Sodium	PASSES TEST	PASSES TEST	\checkmark
Test for glutamic acid	PASSES TEST	PASSES TEST	\checkmark
Specific Rotation [α]D 20	+24.8° to +25.3°	+25.0°	\checkmark
Lead	≤1 PPM	≤1 PPM	\checkmark
Chlorides	Max. 0.2%	Max. 0.2%	\checkmark
Transmittance (%)	≥98.0	≥98.0	\checkmark
Pyrrolidone carboxylic acid	≤0.1	≤0.1	\checkmark
Solubility	White crystals	Conforms	\checkmark

Packing: 25KG PER BAG

Storage: KEEP IN DRY CONDITION, SEALED CONTAINER **Compliance:** European Regulation 231/2012 (E621)

This product is fit for human consumption and has been tested according to applicable standards. This certificate is based on the documentation provided by the manufacturer.

Issue Date: 08.05.2025

Document No.: FERMT-COA-2025-0509

Quality Control Department Technical Director

This is an electronically generated document and does not require a signature